



**EN733 / DIN 24255**  
**Horizontal End Suction**  
*Centrifugal Pumps*


## EU series



## Coding System

Eg.

**EU 32 / 13 MBC DB**  
**EUM 100 / 26 MBC A2 - 0110 - M**



**Note:**

- \* Only for EU series of pumps
- \*\* Applicable to EUM pumps only
- <sup>1</sup> All shaft are in SS420

## Introduction

### Description:

Volute casing centrifugal end suction pump with Back Pull-Out (BPO) feature, main dimensions and performance according to EN733 / DIN24255 standards.

Type : End Suction Centrifugal, Back Pull-Out (BPO)  
 Design : EN733 / DIN 24255  
 Flange Standard : DIN 2501 PN 16 RF  
 Direction of Rotation : Clockwise as viewed from the drive side

### Material:

Casing : Cast Iron, Ductile Iron, Bronze, and Stainless Steel  
 Impeller : Cast Iron, Ductile Iron, Brass, Bronze, and Stainless Steel  
 Shaft : SS420 optional AISI304 & AISI316  
 Shaft Seal : Mechanical Seal and Gland Packing

### Operating Range:

Flow Rate(Q) : up to 1100m<sup>3</sup>/h  
 Head(H) : up to 150m  
 Speed : 1450 rpm or 2900 rpm (50Hz)  
           1750 rpm or 3600 rpm (60Hz)  
 Operating Temp. : -10 °C to 85 °C (Standard); 105 °C (On Request)  
 Working Pressure : 10 bar standard; 16 Bar (On Request)




### Range of Application:

EUROFLO Pumps can be used for the following services in the Commercial, Residential, Agricultural, Industrial, Process, Petroleum and Food & Beverage industries:



- Water Treatment & Supply
- Bilging & Ballasting
- Cooling Towers
- Circulating
- Drainage
- Sea Water Transfer
- Pressure Boosting
- Refrigeration
- Transfer
- Fire Fighting & Protection
- Air Conditioning
- Plumbing
- Irrigation

### Section View





No	Part Name
1	Bearing Cover (Shaft end)
2	Shaft
3	Bearing housing
4	Shaft Sleeve ( With Gland Packing only)
5	Mechanical Seal
6	Gland Packing (Option)
7	Volute Casing
8	Impeller
9	Impeller Nut
10	Casing Wear Rings
11	Front Foot Support
12	Seal Plate
13	Slinger
14	Ball Bearings (Deep Groove)
15	Rear Foot Support

## EU - Performance ( 50Hz )




Performance to ISO9906 Grade 2 for clean cold water only.

## EU - Performance (60Hz)



Performance to ISO9906 Grade 2 for clean cold water only.

## EU - Installing Dimensions



Flanges Dimension (DIN 2501 PN16)			
DN1 / DN2	OD1 / OD2	K1 / K2	n-ød1 / n-ød1
DN 32	140	100	4 - Ø18
DN 40	150	110	4 - Ø18
DN 50	165	125	4 - Ø18
DN 65	185	145	4 - Ø18
DN 80	200	160	8 - Ø18
DN 100	220	180	8 - Ø18
DN 125	250	210	8 - Ø18
DN 150	285	240	8 - Ø22
DN 200	340	295	12 - Ø22
DN 250	405	355	12 - Ø26
DN 300	460	410	12 - Ø26
DN 350	520	470	16 - Ø26

Pump Model	Bearing Housing Discharge, DN2	Suction, DN1	Pump				Foot Dimension							Shaft End					Weight (kg)	Service Connections								
			a	f	h1	h2	b	c	n3	m1	m2	n1	n2	S1	S2	w	d	l		t	t1	u	Casing Drain, CD	Housing Drain, HD	Gauge Tapping, GT1	Vent Tapping, VT	Gauge Tapping, GT2	
EU32-13	25	32	50	80	360	112	140	50	14	100	100	70	190	140	14	14	267	24	50	27	7	8	29	1/4"	3/8"	1/4"	1/4"	1/4"
EU32-16	25			80	360	132	160	50	14	100	100	70	240	190	14	14	267	24	50	27	7	8	35	1/4"	3/8"	1/4"	1/4"	1/4"
EU32-20	25	32	50	80	360	160	180	50	14	110	100	70	240	190	14	14	267	24	50	27	7	8	47	1/4"	3/8"	1/4"	1/4"	1/4"
EU 32-26	25			100	360	180	225	65	14	110	125	95	320	250	14	14	267	24	50	27	7	8	58	3/8"	3/8"	1/4"	1/4"	1/4"
EU 40-13	25	40	65	80	360	112	140	50	14	100	100	70	210	160	14	14	267	24	50	27	7	8	31	1/4"	3/8"	1/4"	1/4"	1/4"
EU 40-16	25			80	360	132	160	50	14	100	100	70	240	190	14	14	267	24	50	27	7	8	34	1/4"	3/8"	1/4"	1/4"	1/4"
EU 40-20	25	40	65	100	360	160	180	50	14	110	100	70	265	212	14	14	267	24	50	27	7	8	45	1/4"	3/8"	1/4"	1/4"	1/4"
EU 40-26	25			100	360	180	225	65	14	110	125	95	320	250	14	14	267	24	50	27	7	8	61	3/8"	3/8"	1/4"	1/4"	1/4"
EU 40-32	35	40	65	125	470	200	250	65	14	110	125	95	345	280	14	14	342	32	80	35	8	10	94	3/8"	3/8"	1/4"	1/4"	1/4"
EU 40-32 DB	35			125	470	200	250	65	14	110	125	95	345	280	14	14	342	32	80	35	8	10	107	3/8"	3/8"	1/4"	1/4"	1/4"
EU 40-32 HH	45	40	65	125	526	200	250	65	14	110	125	95	345	280	14	14	367	42	110	45	8	12	105	3/8"	3/8"	1/4"	1/4"	1/4"
EU 50-13	25			100	360	132	160	50	14	100	100	70	240	190	14	14	267	24	50	27	7	8	35	1/4"	3/8"	1/4"	1/4"	1/4"
EU 50-16	25	50	65	100	360	160	180	50	14	110	100	70	265	212	14	14	267	24	50	27	7	8	39	3/8"	3/8"	1/4"	1/4"	1/4"
EU 50-20	25			100	360	180	225	65	14	110	125	95	320	250	14	14	267	24	50	27	7	8	49	1/4"	3/8"	1/4"	1/4"	1/4"
EU 50-26	25	50	65	100	360	180	225	65	14	110	125	95	320	250	14	14	267	24	50	27	7	8	68	3/8"	3/8"	1/4"	1/4"	1/4"
EU 50-26 DB	25			100	360	180	225	65	14	110	125	95	320	250	14	14	267	24	50	27	7	8	68	3/8"	3/8"	1/4"	1/4"	1/4"
EU 50-26 HH	35	50	65	100	470	180	225	65	14	110	125	95	320	250	14	14	344	32	80	35	8	10	65	3/8"	3/8"	1/4"	1/4"	1/4"
EU 50-32	35			125	470	225	280	65	14	110	125	95	345	280	14	14	342	32	80	35	8	10	113	3/8"	3/8"	1/4"	1/4"	1/4"
EU 50-32 DB	35	50	65	125	470	225	280	65	14	110	125	95	345	280	14	14	342	32	80	35	8	10	113	3/8"	3/8"	1/4"	1/4"	1/4"
EU 50-32 HH	45			125	526	225	280	65	18	110	125	95	345	280	14	14	367	42	110	45	8	12	105	3/8"	3/8"	1/4"	1/4"	1/4"
EU 65-13	25	65	80	100	360	160	180	65	14	110	125	95	280	212	14	14	267	24	50	27	7	8	41	1/4"	3/8"	1/4"	1/4"	1/4"
EU 65-16	25			100	360	180	200	65	14	110	125	95	280	212	14	14	267	24	50	27	7	8	47	3/8"	3/8"	1/4"	1/4"	1/4"
EU 65-20	25	65	80	100	360	180	225	65	14	110	125	95	320	250	14	14	267	24	50	27	7	8	55	3/8"	3/8"	1/4"	1/4"	1/4"
EU 65-20 DB	25			100	360	180	225	65	14	110	125	95	320	250	14	14	267	24	50	27	7	8	55	3/8"	3/8"	1/4"	1/4"	1/4"
EU 65-20 HH	35	65	80	100	465	180	225	65	14	110	125	95	320	250	14	14	339	32	80	35	8	10	60	3/8"	3/8"	1/4"	1/4"	1/4"
EU 65-26	35			100	470	200	250	80	15	110	160	120	360	280	18	14	342	32	80	35	8	10	87	3/8"	3/8"	1/4"	1/4"	1/4"
EU 65-32	35	65	80	125	470	225	280	80	18	110	160	120	400	315	18	14	342	32	80	35	8	10	110	3/8"	3/8"	1/4"	1/4"	1/4"
EU 65-32 DB	35			125	470	225	280	80	18	110	160	120	400	315	18	14	342	32	80	35	8	10	110	3/8"	3/8"	1/4"	1/4"	1/4"
EU 65-32 HH	45	65	80	125	525	225	280	80	18	110	160	120	400	315	18	14	367	42	110	45	8	12	120	3/8"	3/8"	1/4"	1/4"	1/4"
EU 80-16	25			125	360	180	225	65	14	110	125	95	320	250	14	14	267	24	50	27	7	8	53	3/8"	3/8"	1/4"	1/4"	1/4"
EU 80-20	35	80	100	125	470	180	250	65	15	110	125	95	345	280	14	14	342	32	80	35	8	10	76	3/8"	3/8"	1/4"	1/4"	1/4"
EU 80-26	35			125	470	200	280	80	15	110	160	120	400	315	18	14	342	32	80	35	8	10	95	3/8"	3/8"	1/4"	1/4"	1/4"
EU 80-32	35	80	100	125	470	250	315	80	16	110	160	120	400	315	18	14	342	32	80	35	8	10	118	3/8"	3/8"	3/8"	1/4"	3/8"
EU 80-32 DB	35			125	470	250	315	80	16	110	160	120	400	315	18	14	342	32	80	35	8	10	118	3/8"	3/8"	3/8"	1/4"	3/8"
EU 80-32 HH	45	80	100	125	526	250	315	80	16	110	160	120	400	315	18	14	367	42	110	45	8	12	130	3/8"	3/8"	3/8"	1/4"	3/8"
EU 80-40	45			125	530	280	355	83	18	110	160	120	440	340	18	14	370	42	110	45	8	12	160	3/8"	3/8"	3/8"	3/8"	3/8"
EU 100-16	35	100	125	125	470	200	250	80	15	110	160	120	360	280	18	14	342	32	80	35	8	10	87	3/8"	3/8"	3/8"	3/8"	3/8"
EU 100-20	35			125	470	200	280	80	16	110	160	120	360	280	18	14	342	32	80	35	8	10	84	3/8"	3/8"	3/8"	3/8"	3/8"
EU 100-26	35	100	125	140	470	225	280	80	16	110	160	120	400	315	18	14	342	32	80	35	8	10	102	3/8"	3/8"	3/8"	3/8"	3/8"
EU 100-26 DB	35			140	470	225	280	80	16	110	160	120	400	315	18	14	342	32	80	35	8	10	102	3/8"	3/8"	3/8"	3/8"	1/2"
EU 100-32	35	100	125	140	470	250	315	80	16	110	160	120	400	315	18	14	342	32	80	35	8	10	118	3/8"	3/8"	3/8"	3/8"	1/2"
EU 100-40	45			140	530	280	355	100	20	110	200	150	500	400	23	14	370	42	110	45	8	12	176	3/8"	1/2"	1/2"	3/8"	1/2"
EU 125-20	35	125	150	140	470	250	315	80	16	110	160	120	400	315	18	14	342	32	80	35	8	10	112	3/8"	1/2"	1/2"	3/8"	1/2"
EU 125-26	35			140	470	250	355	80	16	110	160	120	400	315	18	14	342	32	80	35	8	10	117	3/8"	1/2"	1/2"	3/8"	1/2"
EU 125-32	45	125	150	140	530	280	355	100	18	110	200	150	500	400	23	14	370	42	110	45	8	12	155	3/8"	1/2"	1/2"	3/8"	1/2"
EU 125-40	45			160	530	315	400	100	18	110	200	150	500	400	23	14	370	42	110	45	8	12	178	3/8"	1/2"	1/2"	3/8"	1/2"
EU 125-50	55	125	150	160	670	355	450	100	25	110	200	150	550	450	23	14	500	48	110	51	9	14	300	1/2"	3/8"	3/8"	3/8"	3/8"
EU 150-20	35			160	500	280	400	100	18	110	200	150	400	315	23	14	369	32	80	35	8	10	132	3/8"	1/2"	1/2"	3/8"	1/2"
EU 150-26	45	150	200	160	530	250	355	100	18	110	200	150	450	350	23	14	370	42	110	45	8	12	163	3/8"	1/2"	1/2"	3/8"	1/2"
EU 150-32	45			160	530	280	400	100	18	110	200	150	550	450	23	14	370	42	110	45	8							

## EUM - Monobloc pump

### Description:

EUM series pump are closed coupled type, End Suction Centrifugal pumps. Designed according to EN733 / DIN24255 Standard for interchangeability. Pump is suitable to be coupled with both NEMA and IEC designed motor by a stub shaft that will eliminated time consuming alignments. An extra bearing located on the stub shaft reduces vibration and improve seal performance even when operating at unfavorable duty condition.

### Interchangeability:

Many of the components are interchangeable resulting in a reduction in spares requirements and an initial cost saving.

### Material:

Casing	: Cast Iron (Standard) ; Ductile iron / SS304 / SS316 (Optional)
Impeller	: Brass (Standard) ; Cast Iron / SS304 / SS316 (Optional)
Shaft	: SS420 (Standard) ; SS304 / SS316 (Optional)
Shaft Seal	: Mechanical Seal

### Operating Range:

Flow Rate(Q)	: up to 500 m <sup>3</sup> /h
Head(H)	: up to 150m
Speed	: 1450 rpm or 2900 rpm (50Hz) 1750 rpm or 3600 rpm (60Hz)
Operating Temp.	: -10 °C to 85 °C (Standard)
Working Pressure	: 10 bar standard; 16 Bar (on Request)




### Range of Application:

**EUROFLO** Pumps can be used for the following services in the Commercial, Residential, Agricultural, Industrial, Process, Petroleum and Food & Beverage industries:



- Water Treatment & Supply
- Bilging & Ballasting
- Cooling Towers
- Circulating
- Drainage
- Sea Water Transfer
- Pressure Boosting
- Refrigeration
- Transfer
- Fire Fighting & Protection
- Air Conditioning
- Plumbing
- Irrigation

### Section View





No	Part Name
1	Casing
2	Wear Ring
3	Impeller
4	Screw Plug
5	Seal Seat
6	Mech. Seal
7	Casing Cover
8	Bearing
9	Motor ( IEC Standard )
10	Bearing Cover
11	Adapter
12	Rubber Check
13	External Circlips
14	Rubber Slinger
15	Shaft
16	Impeller Nut


## EUM - Performance ( 50Hz )




## EUM - Performance ( 60Hz )



## EUM - Installing Dimensions (2 Pole)




Flanges Dimension (DIN 2501 PN16)			
DN1 / DN2	OD1 / OD2	K1 / K2	n-φd1 / n-φd1
DN 32	140	100	4 - Ø18
DN 40	150	110	4 - Ø18
DN 50	165	125	4 - Ø18
DN 65	185	145	4 - Ø18
DN 80	200	160	8 - Ø18
DN 100	220	180	8 - Ø18
DN 125	250	210	8 - Ø18
DN 150	285	240	8 - Ø22
DN 200	340	295	12 - Ø22



Pump Model	Motor (B35)		Flanges		Installation Dimension (mm)																Weight (KG)		
	Frame Size	kw	DN1	DN2	a	h1	h2	L1	L2	L	A	B	H	HD	m1	m2	n1	n2	S1	S2	Pump Weight(kg)	Motor Weight(kg)	Total
EUM 32-13	802-2	1.1	50	32	80	112	140	152	167	407	125	100	80	220	100	70	190	140	14	10	27	17	44
EUM 32-13	90S-2	1.5			80	112	140	152	173	422	140	100	90	250	100	70	190	140	14	10	27	21	48
EUM 32-13	90L-2	2.2			80	112	140	152	173	447	140	125	90	250	100	70	190	140	14	10	27	26	52
EUM 32-16	90L-2	2.2			80	132	160	152	173	447	140	125	90	250	100	70	240	190	14	10	32	26	57
EUM 32-16	100L-2	3			80	132	160	164	192	489	160	140	100	270	100	70	240	190	14	12	33	44	77
EUM 32-16	112 M-2	4			80	132	160	164	199	504	190	140	112	300	100	70	240	190	14	12	33	43	76
EUM 32-16	132S1-2	5.5			80	132	160	187	241	577	216	140	132	345	100	70	240	190	14	15	38	65	103
EUM 32-20	112 M-2	4			80	160	180	164	199	504	190	140	112	300	100	70	240	190	14	12	42	43	85
EUM 32-20	132S1-2	5.5			80	160	180	187	241	577	216	140	132	345	100	70	240	190	14	12	44	65	109
EUM 32-20	132S2-2	7.5			80	160	180	187	241	577	216	140	132	345	100	70	240	190	14	12	44	69	114
EUM 32-20	160M1-2	11			80	160	180	219	292	724	254	210	160	420	100	70	240	190	14	15	49	108	157
EUM 32-26	160M1-2	11			100	180	225	229	287.5	734	254	210	160	420	125	95	320	250	14	15	63	108	171
EUM 32-26	160M2-2	15			100	180	225	229	287.5	734	254	210	160	420	125	95	320	250	14	15	63	109	173
EUM 32-26	160L-2	18.5			100	180	225	229	287.5	789	254	254	160	420	125	95	320	250	14	15	63	133	196
EUM 32-26	180M-2	22			100	180	225	229	300.5	819	279	241	180	455	125	95	320	250	14	15	64	155	219
EUM 40-13	90S-2	1.5			65	40	80	112	140	152	173	422	140	100	90	250	100	70	210	160	14	10	30
EUM 40-13	90L-2	2.2	80	112			140	152	173	447	140	125	90	250	100	70	210	160	14	10	30	26	55
EUM 40-13	100L-2	3	80	112			140	164	192	489	160	140	100	270	100	70	210	160	14	12	32	44	76
EUM 40-13	112 M-2	4	80	112			140	164	199	504	190	140	112	300	100	70	210	160	14	12	32	43	75
EUM 40-16	100L-2	3	80	132			160	164	192	489	160	140	100	270	100	70	240	190	14	12	35	44	79
EUM 40-16	112 M-2	4	80	132			160	164	199	504	190	140	112	300	100	70	240	190	14	12	35	43	78
EUM 40-16	132S1-2	5.5	80	132			160	187	241	577	216	140	132	345	100	70	240	190	14	12	39	65	104
EUM 40-16	132S2-2	7.5	80	132			160	187	241	577	216	140	132	345	100	70	240	190	14	12	39	69	108
EUM 40-20	132S1-2	5.5	100	160			180	187	241	577	216	140	132	345	100	70	265	212	14	12	43	65	108
EUM 40-20	132S2-2	7.5	100	160			180	187	241	577	216	140	132	345	100	70	265	212	14	12	43	69	112
EUM 40-20	160M1-2	11	100	160			180	219	292	724	254	210	160	420	100	70	265	212	14	15	48	108	156
EUM 40-26	160M1-2	11	100	180			225	229	287.5	734	254	210	160	420	125	95	320	250	14	15	63	108	171
EUM 40-26	160M2-2	15	100	180			225	229	287.5	734	254	210	160	420	125	95	320	250	14	15	63	109	172
EUM 40-26	160L-2	18.5	100	180			225	229	287.5	789	254	254	160	420	125	95	320	250	14	15	63	133	195
EUM 40-26	180M-2	22	100	180			225	229	300.5	819	279	241	180	455	125	95	320	250	14	15	63	155	218
EUM 40-32	180M-2	22	125	200			250	238	311.5	828	279	241	180	455	125	95	345	280	14	15	84	155	239
EUM 40-32	200L1-2	30	125	200	250	238	323.5	898	318	305	200	505	125	95	345	280	14	19	88	224	313		
EUM 40-32	200L2-2	37	125	200	250	238	323.5	898	318	305	200	505	125	95	345	280	14	19	88	235	323		
EUM 40-32	225M-2	45	125	200	250	238	339.5	943	356	311	225	560	125	95	345	280	14	19	96	286	381		
EUM 40-32	250M-2	55	125	200	250	274	394.5	1044	406	349	250	615	125	95	345	280	14	24	114	373	487		
EUM 50-13	100L-2	3	65	50	100	132	160	164	192	489	160	140	100	270	100	70	240	190	14	12	39	44	83
EUM 50-13	112 M-2	4			100	132	160	164	199	504	190	140	112	300	100	70	240	190	14	12	39	43	82
EUM 50-13	132S1-2	5.5			100	132	160	187	241	577	216	140	132	345	100	70	240	190	14	12	40	65	105
EUM 50-13	132S2-2	7.5			100	132	160	187	241	577	216	140	132	345	100	70	240	190	14	12	40	69	109
EUM 50-16	132S1-2	5.5			100	160	180	187	241	577	216	140	132	345	100	70	265	212	14	12	42	65	107
EUM 50-16	132S2-2	7.5			100	160	180	187	241	577	216	140	132	345	100	70	265	212	14	12	42	69	111
EUM 50-16	160M1-2	11			100	160	180	219	292	724	254	210	160	420	100	70	265	212	14	15	45	108	153
EUM 50-16	160M2-2	15			100	160	180	219	292	724	254	210	160	420	100	70	265	212	14	15	45	109	154
EUM 50-20	132S2-2	7.5			100	160	200	190	241	580	216	140	132	345	100	70	265	212	14	12	48	69	117
EUM 50-20	160M1-2	11			100	160	200	222	292	727	254	210	160	420	100	70	265	212	14	15	53	108	161
EUM 50-20	160M2-2	15			100	160	200	222	292	727	254	210	160	420	100	70	265	212	14	15	53	109	162
EUM 50-20	160L-2	18.5			100	160	200	222	292	782	254	254	160	420	100	70	265	212	14	15	53	133	185

Pump dimension may vary, please refer to manufacturer.


## EUM - Installing Dimensions (2 Pole)



Pump Model	Motor ( B35)		Flanges		Installation Dimension ( mm )														Weight (KG)						
	Frame Size	kw	DN1	DN2	a	h1	h2	L1	L2	L	A	B	H	HD	m1	m2	n1	n2	S1	S2	Pump Weight(kg)	Motor Weight(kg)	Total		
EUM 50-26	160L-2	18.5	65	50	100	180	225	230	287.5	790	254	254	160	420	125	95	320	250	14	15	62	133	195		
EUM 50-26	180M-2	22			100	180	225	230	300.5	820	279	241	180	455	125	95	320	250	14	15	65	155	220		
EUM 50-26	200L1-2	30			100	180	225	233	315.5	893	318	305	200	505	125	95	320	250	14	19	71	224	295		
EUM 50-26	200L2-2	37			100	180	225	233	315.5	893	318	305	200	505	125	95	320	250	14	19	71	235	306		
EUM 50-32	200L2-2	37			125	225	280	238	323.5	898	318	305	200	505	125	95	345	280	14	19	91	235	325		
EUM 50-32	225M-2	45			125	225	280	238	339.5	943	356	311	225	560	125	95	345	280	14	19	98	286	384		
EUM 50-32	250M-2	55			125	225	280	274	394.5	1044	406	349	250	615	125	95	345	280	14	24	116	373	490		
EUM 50-32	280S-2	75			125	225	280	274	416.5	1119	457	368	280	680	125	95	345	280	14	24	117	485	601		
EUM 65-13	132S1-2	5.5	80	65	100	160	180	187	228.5	577	216	140	132	345	125	95	280	212	14	12	46	65	111		
EUM 65-13	132S2-2	7.5			100	160	180	187	228.5	577	216	140	132	345	125	95	280	212	14	12	46	69	115		
EUM 65-13	160M1-2	11			100	160	180	219	279.5	724	254	210	160	420	125	95	280	212	14	15	54	108	162		
EUM 65-16	132S1-2	5.5			100	160	200	187	228.5	577	216	140	132	345	125	95	280	212	14	12	47	65	112		
EUM 65-16	132S2-2	7.5			100	160	200	187	228.5	577	216	140	132	345	125	95	280	212	14	12	47	69	116		
EUM 65-16	160M1-2	11			100	160	200	219	279.5	724	254	210	160	420	125	95	280	212	14	15	49	108	157		
EUM 65-16	160M2-2	15			100	160	200	219	279.5	724	254	210	160	420	125	95	280	212	14	15	49	109	158		
EUM 65-16	160L-2	18.5			100	160	200	219	279.5	779	254	254	160	420	125	95	280	212	14	15	49	133	182		
EUM 65-20	160M2-2	15			100	180	225	219	279.5	724	254	210	160	420	125	95	320	250	14	15	57	109	166		
EUM 65-20	160L-2	18.5			100	180	225	219	279.5	779	254	254	160	420	125	95	320	250	14	15	57	133	189		
EUM 65-20	180M-2	22			100	180	225	219	292.5	809	279	241	180	455	125	95	320	250	14	15	57	155	212		
EUM 65-20	200L1-2	30			100	180	225	222	307.5	882	318	305	200	505	125	95	320	250	14	19	63	224	288		
EUM 65-26	200L1-2	30			100	200	250	238	311	898	318	305	200	505	160	120	360	280	18	19	80	224	304		
EUM 65-26	200L2-2	37			100	200	250	238	311	898	318	305	200	505	160	120	360	280	18	19	80	235	315		
EUM 65-26	225M-2	45			100	200	250	238	327	943	356	311	225	560	160	120	360	280	18	19	84	286	370		
EUM 65-26	250M-2	55			100	200	250	272	380	1042	406	349	250	615	160	120	360	280	18	24	98	373	471		
EUM 65-32	225M-2	45			125	225	280	252	341	957	356	311	225	560	160	120	400	315	18	19	116	286	401		
EUM 65-32	250M-2	55			125	225	280	272	380	1042	406	349	250	615	160	120	400	315	18	24	122	373	496		
EUM 65-32	280S-2	75			125	225	280	272	402	1117	457	368	280	680	160	120	400	315	18	24	122	485	607		
EUM 65-32	280M-2	90			125	225	280	272	402	1167	457	419	280	680	160	120	400	315	18	24	122	541	663		
EUM 80-16	160M1-2	11			100	80	125	180	225	219	279.5	724	254	210	160	420	125	95	320	250	14	15	58	108	166
EUM 80-16	160M2-2	15					125	180	225	219	279.5	724	254	210	160	420	125	95	320	250	14	15	58	109	167
EUM 80-16	160L-2	18.5					125	180	225	219	279.5	779	254	254	160	420	125	95	320	250	14	15	58	133	191
EUM 80-16	180M-2	22					125	180	225	219	292.5	809	279	241	180	455	125	95	320	250	14	15	58	155	213
EUM 80-16	200L1-2	30	125	180			225	222	307.5	882	318	305	200	505	125	95	320	250	14	19	66	224	290		
EUM 80-20	180M-2	22	125	180			250	235	308.5	825	279	241	180	455	125	95	345	280	14	15	68	155	223		
EUM 80-20	200L1-2	30	125	180			250	238	323.5	898	318	305	200	505	125	95	345	280	14	19	70	224	294		
EUM 80-20	200L2-2	37	125	180			250	238	323.5	898	318	305	200	505	125	95	345	280	14	19	70	235	305		
EUM 80-20	225M-2	45	125	180			250	238	339.5	943	356	311	225	560	125	95	345	280	14	19	75	286	360		
EUM 80-26	200L2-2	37	125	200			280	238	311	898	318	305	200	505	160	120	400	315	18	19	100	235	335		
EUM 80-26	225M-2	45	125	200			280	238	327	943	356	311	225	560	160	120	400	315	18	19	102	286	388		
EUM 80-26	250M-2	55	125	200			280	272	380	1042	406	349	250	615	160	120	400	315	18	24	105	373	478		
EUM 80-26	280S-2	75	125	200			280	272	402	1117	457	368	280	680	160	120	400	315	18	24	105	485	589		
EUM 80-32	280S-2	75	125	250			315	272	402	1117	457	368	280	680	160	120	400	315	18	24	127	485	612		
EUM 80-32	280M-2	90	125	250			315	272	402	1167	457	419	280	680	160	120	400	315	18	24	127	541	668		
EUM 100-16	160M2-2	15	125	100			125	200	250	246	294	751	254	210	160	420	160	120	360	280	18	15	78	109	187
EUM 100-16	160L-2	18.5					125	200	250	246	307	836	279	241	180	455	160	120	360	280	18	15	80	155	235
EUM 100-16	180M-2	22					125	200	250	249	322	909	318	305	200	505	160	120	360	280	18	19	82	224	306
EUM 100-16	200L1-2	30					125	200	250	249	322	909	318	305	200	505	160	120	360	280	18	19	82	224	306
EUM 100-20	200L1-2	30					125	200	280	238	311	898	318	305	200	505	160	120	360	280	18	19	79	224	303
EUM 100-20	200L2-2	37					125	200	280	238	311	898	318	305	200	505	160	120	360	280	18	19	79	235	313
EUM 100-20	225M-2	45					125	200	280	238	327	943	356	311	225	560	160	120	360	280	18	19	83	286	369
EUM 100-20	250M-2	55					125	200	280	272	380	1042	406	349	250	615	160	120	360	280	18	24	95	373	469
EUM 100-20	280S-2	75					125	200	280	272	402	1117	457	368	280	680	160	120	360	280	18	24	96	485	580
EUM 100-26	250M-2	55			140	225	280	276	384	1046	406	349	250	615	160	120	400	315	18	24	105	373	478		
EUM 100-26	280S-2	75			140	225	280	276	406	1121	457	368	280	680	160	120	400	315	18	24	112	485	597		
EUM 100-26	280M-2	90			140	225	280	276	406	1171	457	419	280	680	160	120	400	315	18	24	112	541	653		
EUM 125-20	225M-2	45			150	125	140	250	315	238	327	943	356	311	225	560	160	120	400	315	18	19	106	286	392
EUM 125-20	250M-2	55					140	250	315	272	380	1042	406	349	250	615	160	120	400	315	18	24	118	373	491
EUM 125-20	280S-2	75					140	250	315	272	402	1117	457	368	280	680	160	120	400	315	18	24	119	485	604
EUM 125-20	280M-2	90					140	250	315	272	402	1167	457	419	280	680	160	120	400	315	18	24	122	541	663

Pump dimension may vary, please refer to manufacturer.


## EUM - Installing Dimensions (4 Pole)



Pump Model	Motor ( B35)		Flanges		Installation Dimension ( mm )														Weight (KG)				
	Frame Size	kw	DN1	DN2	a	h1	h2	L1	L2	L	A	B	H	HD	m1	m2	n1	n2	S1	S2	Pump Weight (kg)	Pump Weight (kg)	Total
EUM32-13	801-4	0.55	50	32	80	112	140	152	167	407	125	100	80	220	100	70	190	140	14	10	27	16	43
EUM32-16	801-4	0.55			80	132	160	152	167	407	125	100	80	220	100	70	240	190	14	10	31	16	48
EUM32-16	802-4	0.75			80	132	160	152	167	407	125	100	80	220	100	70	240	190	14	10	31	17	49
EUM32-20	801-4	0.55			80	160	180	152	167	407	125	100	80	220	100	70	240	190	14	10	38	16	54
EUM32-20	802-4	0.75			80	160	180	152	167	407	125	100	80	220	100	70	240	190	14	10	38	17	55
EUM32-20	90S-4	1.1			80	160	180	152	173	422	140	100	90	250	100	70	240	190	14	10	39	22	62
EUM32-20	90L-4	1.5			80	160	180	152	173	447	140	125	90	250	100	70	240	190	14	10	39	27	66
EUM32-26	100L1-4	2.2			100	180	225	174	187.5	499	160	140	100	270	125	95	320	250	14	12	55	34	89
EUM32-26	100L2-4	3	100	180	225	174	187.5	499	160	140	100	270	125	95	320	250	14	12	55	37	92		
EUM40-13	801-4	0.55	65	40	80	112	140	152	167	407	125	100	80	220	100	70	210	160	14	10	29	16	45
EUM40-16	801-4	0.55			80	132	160	152	167	407	125	100	80	220	100	70	240	190	14	10	32	16	48
EUM40-16	802-4	0.75			80	132	160	152	167	407	125	100	80	220	100	70	240	190	14	10	32	17	49
EUM40-16	90S-4	1.1			80	132	160	152	173	422	140	100	90	250	100	70	240	190	14	10	33	22	56
EUM40-20	802-4	0.75			100	160	180	152	167	407	125	100	80	220	100	70	265	212	14	10	37	17	54
EUM40-20	90S-4	1.1			100	160	180	152	173	422	140	100	90	250	100	70	265	212	14	10	38	22	61
EUM40-20	90L-4	1.5			100	160	180	152	173	447	140	125	90	250	100	70	265	212	14	10	38	27	65
EUM40-26	100L1-4	2.2			100	180	225	174	187.5	499	160	140	100	270	125	95	320	250	14	12	55	34	89
EUM40-26	100L2-4	3			100	180	225	174	187.5	499	160	140	100	270	125	95	320	250	14	12	55	37	92
EUM40-32	100L2-4	3			125	200	250	180	195.5	505	160	140	100	270	125	95	345	280	14	12	75	37	112
EUM40-32	112M-4	4			125	200	250	180	202.5	520	190	140	112	300	125	95	345	280	14	12	75	47	122
EUM40-32	132S-4	5.5			125	200	250	202	243.5	592	216	140	132	345	125	95	345	280	14	12	79	65	144
EUM40-32	132M-4	7.5	125	200	250	202	243.5	632	216	178	132	345	125	95	345	280	14	12	79	79	157		
EUM50-13	801-4	0.55	65	50	100	132	160	152	167	407	125	100	80	220	100	70	240	190	14	10	30	16	46
EUM50-13	802-4	0.75			100	132	160	152	167	407	125	100	80	220	100	70	240	190	14	10	30	17	47
EUM50-13	90S-4	1.1			100	132	160	152	173	422	140	100	90	250	100	70	240	190	14	10	31	22	54
EUM50-16	801-4	0.55			100	160	180	152	167	407	125	100	80	220	100	70	265	212	14	10	35	16	51
EUM50-16	802-4	0.75			100	160	180	152	167	407	125	100	80	220	100	70	265	212	14	10	35	17	52
EUM50-16	90S-4	1.1			100	160	180	152	173	422	140	100	90	250	100	70	265	212	14	10	36	22	58
EUM50-16	90L-4	1.5			100	160	180	152	173	447	140	125	90	250	100	70	265	212	14	10	36	27	62
EUM50-20	90S-4	1.1			100	160	200	155	173	425	140	100	90	250	100	70	265	212	14	10	43	22	65
EUM50-20	90L-4	1.5			100	160	200	155	173	450	140	125	90	250	100	70	265	212	14	10	43	27	70
EUM50-20	100L1-4	2.2			100	160	200	167	192	492	160	140	100	270	100	70	265	212	14	12	46	34	79
EUM50-26	100L1-4	2.2			100	180	225	175	187.5	500	160	140	100	270	125	95	320	250	14	12	56	34	90
EUM50-26	100L2-4	3			100	180	225	175	187.5	500	160	140	100	270	125	95	320	250	14	12	56	37	93
EUM50-26	112M-4	4			100	180	225	175	194.5	515	190	178	112	300	125	95	320	250	14	12	56	47	103
EUM50-26	132S-4	5.5			100	180	225	198	236.5	588	216	140	132	345	125	95	320	250	14	12	60	65	125
EUM50-32	112M-4	4			125	225	280	180	202.5	520	190	140	112	300	125	95	345	280	14	12	77	47	124
EUM50-32	132S-4	5.5			125	225	280	202	243.5	592	216	140	132	345	125	95	345	280	14	12	81	65	147
EUM50-32	132M-4	7.5			125	225	280	202	243.5	632	216	178	132	345	125	95	345	280	14	12	81	79	160
EUM50-32	160M-4	11			125	225	280	238	298.5	743	254	210	160	420	125	95	345	280	14	15	86	108	194
EUM65-13	802-4	0.75	80	65	100	160	180	152	154.5	407	125	100	80	220	125	95	280	212	14	10	36	17	53
EUM65-13	90S-4	1.1			100	160	180	152	160.5	422	140	100	90	250	125	95	280	212	14	10	37	22	60
EUM65-13	90L-4	1.5			100	160	180	152	160.5	447	140	125	90	250	125	95	280	212	14	10	37	27	64
EUM65-16	802-4	0.75			100	160	200	152	154.5	407	125	100	80	220	125	95	280	212	14	10	39	17	56
EUM65-16	90S-4	1.1			100	160	200	152	160.5	422	140	100	90	250	125	95	280	212	14	10	40	22	62
EUM65-16	90L-4	1.5			100	160	200	152	160.5	447	140	125	90	250	125	95	280	212	14	10	40	27	67
EUM65-16	100L1-4	2.2			100	160	200	164	179.5	489	160	140	100	270	125	95	280	212	14	12	42	34	75
EUM65-20	100L1-4	2.2			100	180	225	164	179.5	489	160	140	100	270	125	95	320	250	14	12	50	34	83
EUM65-20	100L2-4	3			100	180	225	164	179.5	489	160	140	100	270	125	95	320	250	14	12	50	37	86
EUM65-20	112M-4	4			100	180	225	164	186.5	504	190	140	112	300	125	95	320	250	14	12	50	47	96

Pump dimension may vary, please refer to manufacturer.


## EUM - Installing Dimensions (4 Pole)



Pump Model	Motor ( B35)		Flanges		Installation Dimension ( mm )														Weight (KG)						
	Frame Size	kw	DN1	DN2	a	h1	h2	L1	L2	L	A	B	H	HD	m1	m2	n1	n2	S1	S2	Pump Weight (kg)	Pump Weight (kg)	Total		
EUM65-26	112M-4	4	80	65	100	200	250	180	190	520	190	140	112	300	160	120	360	280	18	12	66	47	113		
EUM65-26	132S-4	5.5			100	200	250	203	232	593	216	140	132	345	160	120	360	280	18	12	68	65	133		
EUM65-26	132M-4	7.5			100	200	250	203	232	633	216	178	132	345	160	120	360	280	18	12	68	79	147		
EUM65-32	132S-4	5.5			125	225	280	201	230	591	216	140	132	345	160	120	400	315	18	12	92	65	157		
EUM65-32	132M-4	7.5			125	225	280	201	230	631	216	178	132	345	160	120	400	315	18	12	92	79	171		
EUM65-32	160M-4	11			125	225	280	235	283	740	254	210	160	420	160	120	400	315	18	15	95	108	203		
EUM65-32	160L-4	15	125	225	280	235	283	795	254	254	160	420	160	120	400	315	18	15	95	129	224				
EUM80-16	90L-4	1.5	100	80	125	180	225	152	160.5	447	140	125	90	250	125	95	320	250	14	10	49	27	76		
EUM80-16	100L1-4	2.2			125	180	225	164	179.5	489	160	140	100	270	125	95	320	250	14	12	51	34	85		
EUM80-16	100L2-4	3			125	180	225	164	179.5	489	160	140	100	270	125	95	320	250	14	12	51	37	88		
EUM80-20	100L2-4	3			125	180	250	180	195.5	505	160	140	100	270	125	95	345	280	14	12	56	37	93		
EUM80-20	112M-4	4			125	180	250	180	202.5	520	190	140	112	300	125	95	345	280	14	12	56	47	103		
EUM80-20	132S-4	5.5			125	180	250	203	244.5	593	216	140	132	345	125	95	345	280	14	12	60	65	125		
EUM80-20	132M-4	7.5			125	180	250	203	244.5	633	216	178	132	345	125	95	345	280	14	12	60	79	138		
EUM80-26	132S-4	5.5			125	200	280	203	232	593	216	140	132	345	160	120	400	315	18	12	75	65	140		
EUM80-26	132M-4	7.5			125	200	280	203	232	633	216	178	132	345	160	120	400	315	18	12	75	79	153		
EUM80-26	160M-4	11			125	200	280	235	283	740	254	210	160	420	160	120	400	315	18	15	81	108	189		
EUM80-32	132M-4	7.5			125	250	315	201	230	631	216	178	132	345	160	120	400	315	18	12	95	79	174		
EUM80-32	160M-4	11			125	250	315	235	283	740	254	210	160	420	160	120	400	315	18	15	100	108	208		
EUM80-32	160L-4	15			125	250	315	235	283	795	254	254	160	420	160	120	400	315	18	15	100	129	229		
EUM80-32	180M-4	18.5			125	250	315	235	296	825	279	241	180	455	160	120	400	315	18	15	105	157	262		
EUM80-40	160L-4	15			125	280	355	249	297	809	254	254	160	420	160	120	400	340	18	15	140	129	269		
EUM80-40	180M-4	18.5			125	280	355	249	310	839	279	241	180	455	160	120	400	340	18	15	142	157	299		
EUM80-40	180L-4	22			125	280	355	249	310	879	279	279	180	455	160	120	400	340	18	15	142	179	321		
EUM80-40	200L-4	30			125	280	355	249	322	909	318	305	200	505	160	120	400	340	18	19	148	240	387		
EUM100-16	100L1-4	2.2			125	100	125	200	250	191	194	516	160	140	100	270	160	120	360	280	18	12	70	34	104
EUM100-16	100L2-4	3					125	200	250	191	194	516	160	140	100	270	160	120	360	280	18	12	70	37	107
EUM100-16	112M-4	4					125	200	250	191	201	531	190	140	112	300	160	120	360	280	18	12	71	47	118
EUM100-20	100L2-4	3					125	200	280	180	183	505	160	140	100	270	160	120	360	280	18	12	68	37	105
EUM100-20	112M-4	4					125	200	280	180	190	520	190	140	112	300	160	120	360	280	18	12	68	47	115
EUM100-20	132S-4	5.5					125	200	280	203	232	593	216	140	132	345	160	120	360	280	18	12	69	65	134
EUM100-20	132M-4	7.5	125	200			280	203	232	633	216	178	132	345	160	120	360	280	18	12	69	79	147		
EUM100-20	160M-4	11	125	200			280	235	283	740	254	210	160	420	160	120	360	280	18	15	72	108	180		
EUM100-26	132M-4	7.5	140	225			280	207	236	637	216	178	132	345	160	120	400	315	18	12	85	79	164		
EUM100-26	160M-4	11	140	225			280	239	287	744	254	210	160	420	160	120	400	315	18	15	89	108	197		
EUM100-26	160L-4	15	140	225			280	239	287	799	254	254	160	420	160	120	400	315	18	15	89	129	217		
EUM100-32	160M-4	11	140	250			315	235	283	740	254	210	160	420	160	120	400	315	18	15	105	108	213		
EUM100-32	160L-4	15	140	250			315	235	283	795	254	254	160	420	160	120	400	315	18	15	105	129	233		
EUM100-32	180M-4	18.5	140	250			315	235	296	825	279	241	180	455	160	120	400	315	18	15	105	157	262		
EUM100-32	180L-4	22	140	250			315	235	296	865	279	279	180	455	160	120	400	315	18	15	105	179	283		
EUM100-32	200L-4	30	140	250			315	237	310	897	318	305	200	505	160	120	400	315	18	19	111	240	351		
EUM100-40	180L-4	22	140	280			355	249	295	879	279	279	180	455	200	150	500	400	23	15	160	179	339		
EUM100-40	200L-4	30	140	280			355	249	307	909	318	305	200	505	200	150	500	400	23	19	162	240	401		
EUM100-40	225S-4	37	140	280			355	284	358	964	356	286	225	560	200	150	500	400	23	19	168	301	469		
EUM100-40	225M-4	45	140	280			355	284	358	989	356	311	225	560	200	150	500	400	23	19	168	312	480		

Pump dimension may vary, please refer to manufacturer.

## EUM - Installing Dimensions (4 Pole)



Pump Model	Motor ( B35)		Flanges		Installation Dimension ( mm )																Weight (KG)				
	Frame Size	kw	DN1	DN2	a	h1	h2	L1	L2	L	A	B	H	HD	m1	m2	n1	n2	S1	S2	Pump Weight (kg)	Pump Weight (kg)	Total		
EUM125-20	132M-4	7.5	150	125	140	250	315	203	232	633	216	178	132	345	160	120	400	315	18	12	92	79	171		
EUM125-20	160M-4	11			140	250	315	235	283	740	254	210	160	160	420	160	120	400	315	18	15	96	108	204	
EUM125-26	160M-4	11			140	250	355	239	287	744	254	210	160	160	420	160	120	400	315	18	15	104	108	212	
EUM125-26	160L-4	15			140	250	355	239	287	799	254	254	160	160	420	160	120	400	315	18	15	104	129	233	
EUM125-26	180M-4	18.5			140	250	355	239	300	829	279	241	180	180	455	160	120	400	315	18	15	104	157	261	
EUM125-26	180L-4	22			140	250	355	239	300	869	279	279	180	180	455	160	120	400	315	18	15	104	179	283	
EUM125-26	200L-4	30			140	250	355	242	315	901	318	305	200	505	160	120	400	315	18	19	110	240	350		
EUM125-32	160L-4	15			140	280	355	249	282	809	254	254	160	160	420	200	150	500	400	23	15	138	129	266	
EUM125-32	180M-4	18.5			140	280	355	249	295	839	279	241	180	180	455	200	150	500	400	23	15	138	157	295	
EUM125-32	180L-4	22			140	280	355	249	295	879	279	279	180	180	455	200	150	500	400	23	15	138	179	316	
EUM125-32	200L-4	30			140	280	355	249	307	909	318	305	200	505	200	150	500	400	23	19	140	240	379		
EUM125-32	225S-4	37			140	280	355	285	359	965	356	286	225	560	200	150	500	400	23	19	148	301	449		
EUM125-40	200L-4	30			140	315	400	249	307	909	318	305	200	505	200	150	500	400	23	19	170	240	410		
EUM125-40	225S-4	37			140	315	400	284	358	964	356	286	225	560	200	150	500	400	23	19	176	301	476		
EUM125-40	225M-4	45			140	315	400	284	358	989	356	311	225	560	200	150	500	400	23	19	176	312	488		
EUM125-40	250M-4	55			140	315	400	284	377	1054	406	349	250	615	200	150	500	400	23	24	180	383	562		
EUM125-40	280S-4	75			140	315	400	284	399	1129	457	368	280	680	200	150	500	400	23	24	181	544	725		
EUM150-20	160M-4	11			200	150	160	280	400	262	295	767	254	241	160	420	200	150	400	315	23	15	96	108	204
EUM150-20	160L-4	15					160	280	400	262	295	822	254	254	160	420	200	150	400	315	23	15	96	129	225
EUM150-20	180M-4	18.5					160	280	400	262	308	852	279	241	180	455	200	150	400	315	23	15	98	157	255
EUM150-26	160L-4	15	160	250			355	248	281	808	254	254	160	420	200	150	450	350	23	15	135	129	264		
EUM150-26	180M-4	18.5	160	250			355	248	294	838	279	241	180	455	200	150	450	350	23	15	135	157	292		
EUM150-26	180L-4	22	160	250			355	248	294	878	279	279	180	455	200	150	450	350	23	15	135	179	314		
EUM150-26	200L-4	30	160	250			355	248	306	908	318	305	200	505	200	150	450	350	23	19	154	240	394		
EUM150-32	180L-4	22	160	280			400	250	295	880	279	279	180	455	200	150	550	450	23	15	153	179	332		
EUM150-32	200L-4	30	160	280			400	250	307	910	318	305	200	505	200	150	550	450	23	19	155	240	395		
EUM150-32	225S-4	37	160	280			400	286	359	966	356	286	225	560	200	150	550	450	23	19	163	301	464		
EUM150-32	225M-4	45	160	280			400	286	359	991	356	311	225	560	200	150	550	450	23	19	163	312	476		
EUM150-32	250M-4	55	160	280			400	286	378	1056	406	349	250	615	200	150	550	450	23	24	178	383	561		
EUM150-40	225S-4	37	160	315			450	286	358	966	356	286	225	560	200	150	550	450	23	19	200	301	501		
EUM150-40	225M-4	45	160	315			450	286	358	991	356	311	225	560	200	150	550	450	23	19	200	312	512		
EUM150-40	250M-4	55	160	315			450	286	377	1056	406	349	250	615	200	150	550	450	23	24	203	383	586		
EUM150-40	280S-4	75	160	315			450	286	399	1131	457	368	280	680	200	150	550	450	23	24	205	544	748		
EUM150-40	280M-4	90	160	315			450	286	399	1181	457	419	280	680	200	150	550	450	23	24	205	587	791		

Pump dimension may vary, please refer to manufacturer.

## Project Applications



**EUROFLO** EU pump for self contain high pressure feed fire fighting.



**EUROFLO** EU pump ( With Diesel Engine ) for self contain high pressure feed fire fighting.



Process Cooling circulation run by **EUROFLO** centrifugal pump in a car manufacturing plant.



**EUROFLO** End Suction Pumpset used in HVAC and cooling tower system for commercial building.

*Your local distributor details:*



**Euroflo Pumps International Pte Ltd**

No.1 Joo Koon Way Singapore 628942 Tel: +65 6861 3836 Fax: +65 6861 3936

10101/1803Rev04.3